1/2 #13 flat expanded metal

11/20#103 flat expanded metal QRCode

Address No66 Yuejin Road, Changan district, Shijiazhuang, China

Contact Person Carol Feng **Mobile Number** 18661612521

Email huijinmesh900@gmail.com

<u>1/2#13 flat expanded metal</u> is commonly used as enclosure, protection and support etc. 1/2#13 flat expanded metal is one of our wire mesh products, and our products are sold all over the world.

DESCRIPTION

The material of <u>1/2#13 flat expanded metal</u> could be carbon steel ,galvanized, or stainless steel. Please check the detailed specifications of differnent materials

1/2 #13 expanded metal

Material: carbon steel at 8x4ft

SWDxLWD 32x12.7mm

Strand width 2.7

Thickness 1.8

Weight of per sheet 18.3kg/sheet

Open rate 57.0%

Material: galvanized at 8x4ft

SWDxLWD 32x12.7mm

Strand width 2.7

Thickness 1.8

Weight of per sheet 20.1kg/sheet

Open rate 57.0%

Material: stainless steel at 8x4ft

SWDxLWD 32x12.7mm

Strand width 2.7

Thickness 1.9

Weight of per sheet 19.8kg/sheet

Open rate 57.0%

Material: carbon steel at 8x4ft

SWDxLWD 32x12.7mm

Strand width 2.7

Thickness 1.8

Weight of per sheet 18.3kg/sheet

Open rate 57.0%

For more details, please visit https://www.eqlic.com/detail/1-2-13-flat-expanded-metal-china-356084